

## SCHEDULE 1. CONDITIONS OF CONSENT

### Parameters of consent

#### 1. Approved plans and supporting documentation

Development must be carried out in accordance with the following approved plans and supporting documentation, except where the conditions of this consent expressly require otherwise.

Plan No.	Revision No.	Plan Title	Drawn by	Dated
DA20	H	Site Layout and Car Parking	Amitran Pty Ltd & U+I Building Studio	01/11/2023
DA30	G	Ground Floor Plan Buildings A, B & C	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA30.1	G	First Floor Plan Buildings A, B & C	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA31	G	Building A Elevations & Sections	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA32	G	Building B Elevations & Sections	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA33	G	Building C Elevations & Sections	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA34	G	Roof Plan Building A, B & C	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA35	G	Site Section & Street Elevations	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA40	H	Proposed Site Area Schedule Plan	Amitran Pty Ltd & U+I Building Studio	12/11/2023
DA41	G	Gross Floor Area Schedule Ground Floor	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA42	G	Gross Floor Area Schedule First Floor	Amitran Pty Ltd & U+I Building Studio	06/10/2023
DA51	G	Materials & Finishes	U+I Building Studio	06/10/2023
SK-03	G	Operational Control Plan	Floodworks	10/11/2023
SK-04	G	Operational Control Plan Typical Section	Floodworks	10/11/2023
File Ref: 4452R2 020112 4pdL10 Federal Drive Federal_D A	v3	Acoustic Report	Koikas Acoustics Pty Ltd, dated File Reference: _ v3	Wednesday 27 January 2021

In the event of any inconsistency between the approved plans and the supporting documentation, the approved plans prevail. In the event of any inconsistency between the approved plans and a condition of this consent, the condition prevails.

**Note:** an inconsistency occurs between an approved plan and supporting documentation or between an approved plan and a condition when it is not possible to comply with both at the relevant time.

2. **Payment of security deposits**

Before the commencement of any works on the site or the issue of a construction certificate, the applicant must make all of the following payments to Council and provide written evidence of these payments to the certifier:

Security deposit	\$ 10000
Inspection fee	\$180

The payments will be used for the cost of:

- making good any damage caused to any council property (including street trees) as a consequence of carrying out the works to which the consent relates,
- completing any public work such as roadwork, kerbing and guttering, footway construction, stormwater drainage and environmental controls, required in connection with this consent, and
- any inspection carried out by Council in connection with the completion of public work or the making good any damage to council property.

**Note:** The inspection fee includes Council's fees and charges and includes the Public Road and Footpath Infrastructure Inspection Fee (under the *Roads Act 1993*). The amount payable must be in accordance with council's fees and charges at the payment date.

3. **Support for neighbouring buildings**

If an excavation extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made or builder must:

- a. Inform the neighbouring property owner immediately.
- b. Engage a structural engineer to determine any remedial works that may need to be undertaken.
- c. Preserve and protect the adjoining building from damage.
- d. If necessary, underpin and support the building in an approved manner.

4. **Environmental Heritage External Finishes and Signage Requirements**

To protect the setting of nearby items of Environmental Heritage, the following is required:

a. **External Finishes**

The approved colours, materials and finishes are to be maintained as per the approval. Any future changes are subject to prior approval from Council.

b. **Signage**

Details of all signage are to be submitted to and approved by Council prior to erection. Any proposed must be sympathetic to the aesthetic setting of the heritage listed items opposite the site. Any illuminated signage may only be externally illuminated and subtle in its design (and is subject to further consent).

5. **Conditions prescribed by the Regulation**

This development consent is subject to the conditions prescribed by the regulations in accordance with subsection 4.17(11) of the Environmental Planning and Assessment Act 1979. Conditions are provided in **Schedule 2** of this consent.

**The following conditions are to be complied with prior to issue of a Construction Certificate for building works**

**6. Construction site management plan**

Before the issue of a construction certificate, the applicant must ensure a construction site management plan is prepared before it is provided to and approved by the certifier. The plan must include the following matters:

- location and materials for protective fencing and hoardings to the perimeter on the site
- provisions for public safety
- pedestrian and vehicular site access points and construction activity zones
- details of construction traffic management, including proposed truck movements to and from the site and estimated frequency of those movements, and measures to preserve pedestrian safety in the vicinity of the site
- protective measures for on-site tree preservation (including in accordance with AS 4970-2009 Protection of trees on development sites and Council's DCP, if applicable) and trees in adjoining public domain (if applicable)
- details of any bulk earthworks to be carried out
- location of site storage areas and sheds
- equipment used to carry out all works
- a garbage container with a tight-fitting lid
- dust, noise and vibration control measures
- location of temporary toilets.

The applicant must ensure a copy of the approved construction site management plan is kept on-site at all times during construction.

**7. Detailed landscaping plan required**

Prior to the issue of a Construction Certificate, a detailed landscaping plan must incorporate adequate detail to demonstrate compliance with the provisions of Chapter B9 and Chapter D5 Section D5.2.7 Landscaping and Screening, Development Control Plan 2014. The detailed plan must:

- a. Ensure landscaping is located within the site only and not on the Road Reserve. Any planting around the boundary that will encroach into the road reserve will require separate approval by Council's infrastructure services and Place Planning team.
- b. Planting must be consistent with the Draft Federal Village Concept Plan or its equivalent most recent iteration of the Village Plan.
- c. Planting must not impact on sightlines of driveway crossovers or affect any essential services operation and maintenance.
- d. The landscaping plan must incorporate a landscaping maintenance plan including an annual program for care and maintenance of selected planting.

The plan is to be prepared by a suitably qualified landscape architect/ecologist who has appropriate knowledge of the biodiversity of the north coast of NSW and experience and competence in landscaping.

**8. Geotechnical Report required – Building Works**

A certificate from a professional Engineer experienced in Geotechnical Science is to be provided to the Principal Certifying Authority, certifying that the site is stable and will not be affected by landslide or subsidence at, above or below the site when the building is erected. The certificate must be prepared in accordance with AS 1726.

**9. Geotechnical Report required – Engineering Works**

A certificate from a professional Engineer experienced in soil mechanics is to be provided to the Principal Certifying Authority, certifying that:

- a. the design of the civil engineering works, including retaining walls and/or cut & fill batters, has been assessed as structurally adequate,
- b. the civil engineering works will not be affected by landslip or subsidence either above or below the works; and
- c. adequate drainage has been provided.

10. **External lighting plan to be submitted for approval**

The application for a Construction Certificate is to include plans and specifications that demonstrate that safe minimum standards of lighting (min. 0.2 Lux) can be provided without generation of undue glare and nuisance from the lighting installations.

Lighting assessment and design should be undertaken by a suitably qualified professional with competence in the fields of illuminating engineering and environmental design in accordance with AS4282-2019: Control of the obtrusive effects of outdoor lighting and Safework NSW requirements.

All external night time lighting should be motion activated only with daylight hour sensors, low wattage and designed to minimise light spill in accordance with AS4282-2019: Control of the obtrusive effects of outdoor lighting.

11. **Plans of retaining walls and drainage**

The application for a Construction Certificate is to include plans and specifications that indicate retaining walls or other approved methods of preventing movement of the soil, where any excavation or filled area exceeds 600mm in height. Adequate provision must be made for drainage.

Such plans and specifications must be approved as part of the Construction Certificate

12. **Potable Water Supply Management Plan**

Prior to the issue of a Construction Certificate a NSW Health approved private water supply quality assurance plan must be provided to Council.

For further information refer to the following website

<http://www.health.nsw.gov.au/environment/water/Publications/private-water-supply-guidelines.pdf>

13. **Sediment and Erosion Control Management Plan required**

The application for a Construction Certificate is to include plans and specifications that indicate the measures to be employed to control erosion and loss of sediment from the site. Control over discharge of stormwater and containment of run-off and pollutants leaving the site/premises must be undertaken through the installation of erosion control devices such as catch drains, energy dissipaters, level spreaders and sediment control devices such as filter fences and sedimentation basins.

Such plans and specifications must be approved as part of the Construction Certificate.

**NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings".**

14. **On-site stormwater detention and Raingarden required**

The application for a Construction Certificate is to include plans and specifications for stormwater drainage in accordance with the relevant Australian Standard. All stormwater drainage for the development must be conveyed via an on-site stormwater

detention/raingarden system by gravity in accordance with the approved plans SK-03 & SK-04 Rev E prepared by Floodworks dated 10/11/22.

Such plans and specifications must be approved as part of the Construction Certificate.

All stormwater drainage systems within the lot and the connection to a public or an inter-allotment drainage system must:

- a) comply with any requirements for the disposal of stormwater drainage and on-site stormwater detention contained in Council's Development Control Plan, Stormwater Guideline and Local Approvals Policy; and
- b) unless exempt from obtaining an approval under section 68 of the Local Government Act 1993 by a Local Approvals Policy, an approval must be obtained under that Act prior to issue of a Construction Certificate.

**Note: Reduction in Detention volumes and Filter Areas of the raingarden in the approved plans will require lodgement of Section 4.55/4.56 application to Council for the amendment of the consent.**

**15. Consent required for works within the road reserve**

Consent from Council must be obtained for works within the road reserve pursuant to Section 138 of the Roads Act 1993. Three (3) copies of engineering construction plans must accompany the application for consent for works within the road reserve.

Such plans are to be in accordance with Council's current Design & Construction Manuals and are to provide for the following works:

**Driveway (commercial areas)**

Driveways (2 x driveways) in accordance with the approved plan and Council's standard "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings". The footpath crossing must be designed to provide a cross fall of 1 % or 1:100 (maximum 2.5% or 1 in 40) for a width of at least 1.5 metres to provide for pedestrians with access disabilities.

**Concrete edge, road pavement and parallel parking lane**

Concrete edge, road pavement and associated parallel parking and drainage and any necessary relocation of services as follows:

1. Concrete edge across the full frontage of the site in Federal Dr and flare at the corner of Coachwood Ct;
2. 9.1m road pavement in Federal Dr for the full frontage of the site consisting of 2.1m indented parallel parking lane measured from the edge of the approved driveway alignment and 7.0m wide carriageway.
3. Joining to existing pavement or widening in accordance with IPWEAQ drawing SEQ R-170.

**1.5 m wide footpath**

1.5m wide foot paving for the full frontage of the site at a crossfall of 1 % or 1:100 (maximum 2.5% or 1 in 40) with an alignment of 1.5m away from the back of the concrete edge strip commencing from the southern boundary of the site and to follow the extent of the concrete edge strip. Provision of a ramp pedestrian crossing located approximately in the middle of the frontage of the site in Federal Dr.

**16. Traffic Management Plan (TMP)**

Prior to issue of the construction certificate, consent from Council must be obtained for a Traffic Management Plan (TMP) pursuant to Section 138 of the Roads Act 1993. The plans and specifications are to include the measures to be employed to control traffic (inclusive of construction vehicles) during construction of the development. The TMP is to be designed in accordance with the requirements of the current version of the Transport for NSW Traffic Control at Work Sites Technical Manual.

The report must incorporate measures to ensure that motorists using road adjacent to the development, residents and pedestrians in the vicinity of the development are subjected to minimal time delays due to construction on the site or adjacent to the site.

The TMP and associated traffic guidance scheme/s must be prepared by a suitably qualified Transport for NSW accredited person.

**17. Car parking layout, vehicle circulation and access plans required**

The application for a Construction Certificate is to include plans and specification that indicate access, parking and manoeuvring details in accordance with **DA20 Rev H - Site Layout & Carparking plan** approved by this consent.

The access, parking and manoeuvring for the site is to comply with the requirements of AS 2890.1-2004: Parking facilities, Part 1: Off-street car parking and AS 2890.2 – 2010 - Parking facilities, Part 2: Off-street commercial vehicle facilities. Plans are to include, but not be limited to, the following items:

- a) pavement design, comprising an all weather surface, such as asphalt, bitumen seal, concrete, pavers or other similar treatment;
- b) site conditions affecting the access;
- c) existing and design levels;
- d) longitudinal section from the road centreline to the car space(s);
- e) cross sections every 15 metres;
- f) drainage details;
- g) turning paths; and
- h) line marking and signage.
- i) Safety barrier adjacent to the Raingarden / Detention Basin.

The engineering plans and specifications are to be designed by a qualified practising Civil Engineer. The Civil Engineer is to be a corporate member of the Institution of Engineers Australia or is to be eligible to become a corporate member and have appropriate experience and competence in the related field.

Such plans and specifications must be approved as part of the Construction Certificate.

NOTE: The plans must be in compliance with Council's current "Northern Rivers Local Government Development Design & Construction Manuals and Standard Drawings".

**18. On-site sewage management facility and trade waste Section 68 approval required**

An approval under Section 68 of the Local Government Act 1993 for on-site effluent disposal must be obtained from Council prior to issue of a Construction Certificate. Such approval must be issued after the date of this consent.

The application for Section 68 approval to install must be accompanied by a report prepared by a suitably qualified professional with demonstrated experience in effluent disposal matters, which addresses the site specific design of sewage management in accordance with the requirements of the NSW Local Government Act, and Approvals Regulation and Guidelines approved by the Director General.

The application must be supported with the following information, design components and drawings:

- a. Stormwater and wastewater effluent irrigation area management plans that illustrate how stormwater will be isolated from the land application area for all events up to the 1 % AEP.
- b. Certified & accredited nitrogen reduction equal to or greater than 66.9% & phosphorous reduction of 26.16%.
- c. Disinfection of effluent.
- d. Liquid trade waste collection and storage system separate to wastewater treatment system serviced by on site disposal.
- e. Plans that illustrate access for pump outs of all treatment systems and trade waste plumbing systems.
- f. A hydraulic design by a certified designer that demonstrates the even distribution of effluent over the entire land application area.
- g. Details of the level that the hydraulic overflow sensor level is set at, and the emergency response plans when that alarm is triggered.
- h. A Trade Waste Management Plan is to provide for installation of a communal pump out system via bulk trade waste storage tanks, in addition to individual tenancy holding tanks. This plan is to include but not be limited to:
  - (i) design detail for all trade waste holding tanks & pumps, flow meter and sampling points
  - (ii) detail on the method and timing for collection, storage and pump out of trade waste
  - (iii) hydraulic design detail to demonstrate that each tenancy is provided with adequate trade waste drainage connection points to facilitate future tenancy fit outs
  - (iv) a list of suitable and unsuitable tenancies/businesses
  - (v) maximum limits on trade waste generation volumes,
  - (vi) criteria for complying trade waste discharge quality,
  - (vii) tenancy trade waste agreement that demonstrates how the property owner, manager and tenants will be managed to ensure that inadvertent or even deliberate direction of trade waste to the wastewater system is avoided., and
  - (viii) trade waste testing monitoring and reporting schedule.

The application for the section 68 approval to operate is to be supported by:

- i. A commissioning test in presence of council certifiers and environmental health officers using clean water to demonstrate the even distribution of effluent over the entire land application area.

#### 19. **Fibre-ready Facilities and Telecommunications Infrastructure**

Prior to the issue of the Construction Certificate in connection with a development, the developer (whether or not a constitutional corporation) is to provide evidence satisfactory to the Certifying Authority that arrangements have been made for:

- a. the installation of fibre-ready facilities to all individual lots and/or premises in a real estate development project so as to enable fibre to be readily connected to any premises that is being or may be constructed on those lots. Demonstrate that the carrier has confirmed in writing that they are satisfied that the fibre ready facilities are fit for purpose; and
- b. the provision of fixed-line telecommunications infrastructure in the fibre-ready facilities to all individual lots and/or premises in a real estate development project demonstrated through an agreement with a carrier.

(Note real estate development project has the meanings given in section 372Q of the Telecommunications Act).

20. **Waste Management Plan**

Before the issue of a construction certificate, the applicant is to ensure that a waste management plan is prepared in accordance with the EPA's Waste Classification Guidelines and the following requirements before it is provided to and approved by the certifier:

- a. Council's Waste Management Development Control Plan

**OR**

- b. details the following:

- the contact details of the person(s) removing the waste
- an estimate of the waste (type and quantity) and whether the waste is expected to be reused, recycled or go to landfill
- the address of the disposal location(s) where the waste is to be taken

The applicant must ensure the waste management plan is referred to in the construction site management plan and kept on-site at all times during construction.

21. **Site Waste Minimisation and Management Plan Details**

Chapter B8 of Byron Shire Development Control Plan 2014 (DCP 2014) aims to facilitate sustainable waste management in a manner consistent with the principles of Ecologically Sustainable Development. Prior to the issue of a Construction Certificate, a Site Waste Minimisation and Management Plan (SWMMP) must be submitted outlining measures to minimise and manage waste generated during demolition, construction and the ongoing operation and use of the development. The SWMMP must specify the proposed method of recycling or disposal and the waste management service provider, including the following:

**Demolition phase:**

- a. How the development will manage stockpiles of crushed material such as roof tiles, concrete, plasterboard prior to reuse on site;
- b. Plan must state that = zero waste will be going to landfill;
- c. Whether skip bins be utilised during the demolition stage and, if so, what is the proposed location.

**Site operation and management:**

- a. Request to review examples of the waste management requirements for contractors prior to construction;
- b. Details as to how the development plans to prevent pollution and damage to the environment during demolition and construction phases; and
- c. Require details on how waste will be stored on site, i.e. skip bins, stockpiles

**Construction phase:**

- a. The waste generation table sets out the same waste types and demolition. This is required to be clarified, i.e. whether concrete is being ordered to set amount to reduce of ordering/waste. Timber ordered to length. Bricks and pavers were already cleaned and to be reused as part of the demolition stage why would this need to occur again as part of the construction stage.
- b. Highly unlikely that all material will be reused onsite, will require evidence of correct disposal at a licensed facility if and when materials go to landfill or to be recycled

**Ongoing management phase:**

- a. The waste bin storage areas for each unit are to be shown on construction plans or the suggested bin bay. The storage areas need to be undercover, secure and have the capabilities to wash out bins with waste water going into sewer.



- b. Waste signage will require updating to be consistent with Council's existing waste signage (details can be provided on request).

A template is provided on Council's website to assist in providing this information.

22. **Long Service Levy to be paid**

In accordance with Section 4.68 of the Environmental Planning and Assessment Act 1979 (as amended), a Construction Certificate for SUBDIVISION WORKS OR BUILDING WORKS shall NOT be issued until any Long Service Levy payable under Section 34 of the Building and Construction Industry Long Service Payments Act, 1986 (or where such levy is payable by instalments, the first instalment of the levy) has been paid (as applicable).

These payments can be made online at [www.longservice.nsw.gov.au](http://www.longservice.nsw.gov.au). Proof of payment is required to be submitted with the Construction Certificate application.

For further information regarding the Long Service Payment please refer to the website above.

23. **Section 7.12 Levy to be paid**

The levy will be calculated as follows:

**Levy payable = %C x \$C**

- %C is the levy rate applicable as set out in the latest Ministerial Direction issued under section 7.17.
- \$C is the proposed cost of carrying out the development.

The rate of %C is:

Proposed cost of the development	Maximum percentage of the levy
Up to \$100,000	Nil
\$100,001–\$200,000	0.5 percent
More than \$200,000	1.0 percent

The cost of development must be calculated in accordance with clause 25J of the Regulation. The Cost Summary Report as set out in schedule 2 of the Section 7.12 contributions plan must be submitted to Council with the payment. The cost summary report must be prepared by a quantity surveyor. Copies of Cost Summary Report are available at Council's main office or may be downloaded from Council's website.

24. **Tree Removal**

No trees or vegetation to be cleared or removed until a Construction Certificate has been issued.

**The following conditions are to be complied with prior to any building or construction works commencing**

25. **Erosion and Sediment Control Management Plan required**

Erosion and sedimentation controls are to be in place in accordance with the approved Erosion and Sediment Control Plan.

Sediment and erosion control measures in accordance with the approved Erosion and Sedimentation Control plan/s must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

Any such measures that are deemed to be necessary because of the local conditions must be maintained at all times until the site is made stable (i.e. by permanent vegetation cover or hard surface).

**Note: Council may impose on-the-spot fines for non-compliance with this condition.**

26. **Traffic Management Plan**

The approved traffic management plan is to be implemented.

27. **Public safety requirements**

All care is to be taken to ensure the safety of the public in general, road users, pedestrians and adjoining property. The public liability insurance cover, for a minimum of \$20 million, is to be maintained for the duration of the construction of the development. Council is not held responsible for any negligence caused by the undertaking of the works.

28. **Toilet facilities**

Toilet facilities are to be provided, at or in the vicinity of the work site at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be a toilet connected to an accredited sewage management system approved by the Council.

29. **Site Location**

The location of the building on the site to be established by a suitably qualified Surveyor and must comply with this approval including any required setbacks to boundaries and to ensure that the building is not higher than 9 metres measured by the vertical distance from ground level (existing) to the highest point of the building.

**The following conditions are to be complied with during any building or construction works**

30. **Hours of work**

The principal certifier must ensure that building work, demolition or vegetation removal is only carried out between:

- 7am to 6pm on Monday to Friday.
- 8am to 1pm on Saturday.

The principal certifier must ensure building work, demolition or vegetation removal is not carried out on Sundays and public holidays, except where there is an emergency.

Unless otherwise approved within a construction site management plan, construction vehicles, machinery, goods or materials must not be delivered to the site outside the approved hours of site works.

**Note:** Any variation to the hours of work requires Council's approval.

31. **Construction Noise**

While building work is being carried out, and where a noise and vibration management plan is approved under this consent, the applicant must ensure that any noise generated from the site is controlled in accordance with the requirements of that plan.

**OR**

While building work is being carried out and where no noise and vibration management plan is approved under this consent, the applicant is to ensure that any noise caused by

demolition, vegetation removal or construction does not exceed an LAeq (15 min) of 5dB(A) above background noise, when measured at any lot boundary of the property where the construction is being carried out.

32. **Signs to be erected on building and demolition sites**

A sign must be erected in a prominent position on the work site:

- a. stating that unauthorised entry to the work site is prohibited, and
- b. showing the name of the person in charge of the work site and a telephone number at which that person may be contacted outside working hours.

Any such sign is to be removed when the work has been completed.

33. **Inspection for on-site sewage management**

All plumbing and drainage works is to be installed by a suitably qualified person. The plumber must adhere to the requirements of the NSW Code of Practice and AS/NZ 3500. The plumber is to arrange for the following inspections to be undertaken:

- a. Internal drainage prior to covering of the works.
- b. External drainage prior to the covering of works.
- c. A commissioning test in presence of council certifiers and environmental health officers using clean water to demonstrate the even distribution of effluent over the entire land application area
- d. Final incusing composing test of the treatment systems and alarms

34. **Stormwater drainage work**

Stormwater drainage for the development must be constructed in accordance with the approved plans and specification by a suitably qualified person.

35. **Builders rubbish to be contained on site**

All builders rubbish is to be contained on the site in a 'Builders Skips' or an enclosure. Footpaths, road reserves and public reserves are to be maintained clear of rubbish, building materials and all other items.

36. **Fill to be retained on the subject land**

Fill material must not encroach onto any adjoining land.

37. **Prevention of water pollution**

Only clean and unpolluted water is to be discharged to Council's stormwater drainage system or any watercourse to ensure compliance with the Protection of Environment Operations Act 1997.

**Note: Council may impose on-the-spot fines for non-compliance with this condition.**

38. **Removal of asbestos**

All asbestos wastes associated with removal of the existing building to be disposed of in accordance with the requirements of the Workcover Authority. The applicant/owner is to produce documentary evidence that this condition has been met.

Please note the Byron Resource Recovery Centre cannot accept asbestos. You will need to arrange disposal at an alternate landfill site.

39. **Maintenance of sediment and erosion control measures**

Sediment and erosion control measures must be maintained at all times until the site has been stabilised by permanent vegetation cover or hard surface.

40. **Demolition**

Any required demolition works must be undertaken in accordance with the relevant requirements of Australian Standard AS 2601–1991: The Demolition of Structures published by Standards Australia, and the WorkCover Authority of NSW.

41. **Aboriginal Relics**

While demolition or building work is being carried out, all such works must cease immediately if a relic or Aboriginal object is unexpectedly discovered. The applicant must notify the Heritage Council of NSW in respect of a relic and notify the Secretary of the Department of Planning, Industry and Environment and the Heritage Council of NSW in respect of an Aboriginal object. Building work may recommence at a time confirmed by either the Heritage Council of NSW or the Secretary of the Department of Planning, Industry and Environment.

In this condition:

- “relic” means any deposit, artefact, object or material evidence that:
  - a. relates to the settlement of the area that comprises New South Wales, not being Aboriginal settlement, and
  - b. is of State or local heritage significance; and
- “Aboriginal object” means any deposit, object or material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of the area that comprises New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction and includes Aboriginal remains.

42. **Muted bushland tones external finishes**

To ensure the development is compatible with the surrounding environment, colours and finishes are to be muted bushland tones in accordance with the approved materials & finishes schedule listed in Condition 1. In this regard white, light or bright colours are not permissible.

43. **All excavated soils to be disposed of off-site**

All excavated soils to be disposed of off-site and in accordance with NSW EPA *Waste Classification Guidelines* (2014) and approved environmental management plans.

44. **Removal of demolition and other wastes**

All wastes, including asbestos and lead-contaminated wastes, associated with these works are to be handled and disposed of in accordance with the requirements of the Work Cover Authority. The applicant/owner is to produce documentary evidence that this condition has been met. Wastes must be disposed of at a Licenced Waste Facility. All wastes removed from the site must be managed and disposed of in accordance with the [NSW EPA Waste Classification Guidelines \(2014\)](#)

45. **Excavated natural materials and demolition waste disposal**

Any and all excavated natural materials and demolition and builders waste transported from the site must be accompanied (a copy kept with the transporter) by a [NSW Protection of The Environment Operations Act s143 Notice](#).

**The following conditions are to be complied with prior to occupation of the building**

**46. Works to be completed prior to issue of a Final Occupation Certificate**

All of the works indicated on the plans and approved by this consent, including any other consents that are necessary for the completion of this development including approvals issued under the Local Government Act 1993 and the Roads Act 1993, are to be completed and approved by the relevant consent authority/s prior to the issue of a Final Occupation Certificate.

Any Security bond paid for this application will be held until Council is satisfied that no further works are to be carried out that may result in damage to Council's road/footpath reserve.

**47. Access and parking areas to be completed**

The access and parking areas are to be constructed in accordance with the approved plans and Roads Act consent.

**48. On-site Stormwater Detention/Raingarden – Certification of works**

All stormwater drainage works, including on-site stormwater detention works/raingarden, for the development must be constructed in accordance with the approved plans and specification prior to issue of an occupation certificate. Certificate/s of Compliance and Work-As-Executed (WAE) plans for the stormwater works must be submitted to the Principal Certifying Authority prior to the issue of an occupation certificate.

The certificate/s and WAE plans are to be prepared by a suitably qualified engineer and must be in accordance with Council's [Comprehensive Guidelines for Stormwater Management](#).

**49. Acoustic Fence**

Boundary fences between the subject site and residential lots should be 1.8 m high.

Boundary fences should utilise the following construction:

- a. Double lapped 15 mm thick timber fence palings offset so that there are no airgaps. This equates to a total barrier thickness of 30 mm; OR
- b. 15mm compressed fibre cement panels with no air gaps at the joins; OR
- c. 6mm compressed fibre cement panels either side of a 50mm steel frame with fibre-glass insulation batts (14kg/m<sup>2</sup>) to the cavity.

**50. Approval to Operate required**

In accordance with the Local Government Act, an Approval to Operate the onsite sewage management system must be obtained from Council. Forms may be downloaded from Council's website with '<http://www.byron.nsw.gov.au/on-site-sewage>'.

**51. Site Location Survey**

A final survey of the structures showing setbacks to boundaries to be submitted to the Private Certifier with the Occupation Certificate demonstrating compliance with the approved plans.

**The following conditions are to be complied with at all times**

**52. First use requires separate development consent**

This development is designed to accommodate a limited range of light industrial uses including creative industry and high technology industry that can be serviced and managed on this site subject to full compliance with all conditions of consent.

The first use of each proposed tenancy requires a separate development application to be lodged and approved by Council.

**Food and drink premises** including **artisan food and drink premises** are **NOT permitted** on this site.

**53. No Residential Accommodation**

This development is not designed to accommodate residential accommodation, ancillary or otherwise.

No caretaker accommodation or any other type of dwellings are permitted within this development.

Note. **dwelling** means a room or suite of rooms occupied or used or so constructed or adapted as to be capable of being occupied or used as a separate domicile.

**54. Mezzanines not to be let separately**

This development is designed to accommodate eight tenancies.

Mezzanine levels are not to be leased separately or sub-let.

**55. Landscaping to be maintained**

Landscaping is to be maintained to ensure it is in accordance with the detailed landscaping plan prepared in accordance with Condition 7.

**56. Vehicles to enter/leave in a forward direction**

Vehicles using any off-street loading/unloading and/or parking area must enter and leave in a forward direction. All driveways and turning areas must be kept clear of obstructions that prevent compliance with this condition.

**57. Loading, unloading and waste collection not to occur on the street**

The loading and unloading bay and waste collection areas must be available at all times for the loading and unloading of goods and waste collection for the development. All loading and unloading is to take place within the curtilage of the premises. All waste collection is to be undertaken on site in accordance with the approved waste management plan.

**58. Rain Water Supply**

All rain water supply tanks are required to divert water from the first rainfall using a first flush or bypass device. All rainwater storage tanks must divert overflow to the raingarden / detention basin.

**59. Trade Waste**

All trade waste pre-treatment devices shall be serviced and maintained to ensure that all relevant environment protection standards and council conditions are satisfied.

**60. Food Businesses and Noisy Business activities not permitted**

The development is not approved to allow food business to operate at the property without prior council development approval.

Development application for businesses that includes noise and odour emissions must be accompanied with odour and or acoustic reports by qualified acoustical and or odour consultants.

61. **Noise**

Noise from equipment including onsite sewage management systems, hot water heaters exhaust fans and tools used within the development is not to be audible in the habitable room of neighbouring properties.

Air conditioners are not permissible in this development.

A customer complaint response plan must be publicly available on the internet and building line and must include afterhours contact numbers for neighbours to use.

Noise-generating activities other than those identified in the Acoustic report, prepared by Koikas Acoustics Pty Ltd, dated Wednesday, 27 January 2021 File Reference: 4452R20201124pdL10FederalDriveFederal\_DA\_v3, may be considered for the development but must be verified by a qualified acoustical consultant and subsequent council approval may be considered for the development.

62. **Light**

No lighting after sunset except motion activated security lighting designed with low spill in accordance with the approved lighting plan.

63. **Operating Hours**

Operational hours are limited to

- Monday to Friday 8am to 6pm
- Saturday and Sunday and Public Holidays 9am to 4pm.

Delivery and collection services are to occur within Monday to Friday 9am and 5pm.

64. **Site Waste Minimisation and Management**

All works must comply with the objectives of waste minimisation and waste management of Part B8.1.2 of DCP 2014.

65. **Must not interfere with the amenity of the neighbourhood**

The use of the development must not interfere with the amenity of the neighbourhood by reason of noise, vibration, smell, fumes, smoke, dust, wastewater or otherwise. In particular:

- a. Any complaints to Council about 'offensive' noise will be dealt with under the provisions of the Protection of the Environment Operations Act 1997.
- b. Only clean and unpolluted water is permitted to be discharged to Councils' stormwater drainage system or any waters.
- c. All wastes shall be contained within appropriate containers fitted with a tight-fitting vermin-proof lid.
- d. All waste storage and sewage facilities shall be serviced and maintained to ensure that all relevant environment protection standards are satisfied.
- e. Goods deliveries shall be restricted to daytime operating hours.

## **SCHEDULE 2. PRESCRIBED CONDITIONS**

The prescribed conditions in accordance with Part 6 Division 8A of the Environmental Planning and Assessment Regulation as at the date of this development consent as are of relevance to this development must be complied with:

- Clause 98 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989
- Clause 98A Erection of signs
- Clause 98B Notification of Home Building Act 1989 requirements
- Clause 98C Conditions relating to entertainment venues
- Clause 98D Condition relating to maximum capacity signage
- Clause 98E Condition relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Part 6 Division 8A of the [Environmental Planning and Assessment Regulation 2000](http://www.legislation.nsw.gov.au). This can be accessed at <http://www.legislation.nsw.gov.au>.

### **SCHEDULE 3. NOTES**

---

#### **Construction Certificate required:**

This development consent is issued under the Environmental Planning and Assessment Act 1979 and does not relate to structural aspects or specifications of the building under the Building Code of Australia. All buildings and alterations require the issue of a Construction Certificate prior to works commencing. Application forms are available from the customer services counter or Council's website [www.byron.nsw.gov.au](http://www.byron.nsw.gov.au)

#### **Principal Certifying Authority:**

Work must not commence until the applicant has:-

- a. appointed a Principal Certifying Authority (if the Council is not the PCA); and
- b. given Council at least two days notice of the intention to commence the erection of the building. Notice must be given by using the prescribed 'Form 7'.
- c. notified the Principal Certifying Authority of the Compliance with Part 6 of the Home Building Act 1989.

#### **Occupation Certificate required:**

The building must not be occupied until the Principal Certifying Authority has issued an Occupation Certificate.

#### **Protection of the Environment Operations Act 1997:**

It is an offence under the provisions of the Protection of the Environment Operations Act 1997 to act in a manner causing, or likely to cause, harm to the environment. Anyone allowing material to enter a waterway or leaving material where it can be washed off-site may be subject to a penalty infringement notice ("on-the-spot fine") or prosecution.

#### **Enclosed public places (smoke-free environment)**

Environment Act 2000 and the Smoke-Free Environment Regulation 2000 and the guidelines in the Regulation for determining what an enclosed public place is. Enquiries may be directed to the NSW Department of Health. The legislation may be viewed on:

<http://www.legislation.nsw.gov.au/maintop/scanact/inforce/NONE/0>

#### **Penalties apply for failure to comply with development consents**



Failure to comply with conditions of development consent may lead to an on the spot fine being issued pursuant to section 4.2(1) of the Environmental Planning & Assessment Act 1979 or prosecution pursuant to section 9.50 of the Environmental Planning & Assessment Act 1979

### **Relics Provisions- Advice**

Attention is directed to the NSW Heritage Act 1977 and the provisions of the Act in relation to the exposure of relics. The Act requires that if:

- a) a relic is suspected, or there are reasonable grounds to suspect a relic in ground, that is likely to be disturbed damaged or destroyed by excavation; and/or
- b) any relic is discovered in the course of excavation that will be disturbed, damaged or destroyed by further excavation;

Those responsible for the discovery must notify nominated management personnel who will in turn notify the Heritage Council of New South Wales or its delegate, the Office of Environment and Heritage, NSW Heritage Branch, and suspend work that might have the effect of disturbing, damaging or destroying such relic until the requirements of the NSW Heritage Council have been satisfied (ss139, 146).

### **Essential Energy general comments:**

- 1. If the proposed development changes, there may be potential safety risks and it is recommended that Essential Energy is consulted for further comment.
- 2. Any existing encumbrances/easements in favour of Essential Energy (or its predecessors) noted on the title of the above property should be complied with.
- 3. Prior to any demolition works commencing, any service line/s to the property must be disconnected.
- 4. The plans indicate that existing powerlines and power pole/s will be re-located. The Applicant must make contact with Essential Energy's Contestable Works team for requirements via email [contestableworks@essentialenergy.com.au](mailto:contestableworks@essentialenergy.com.au).
- 5. The Applicant will need to engage the services of an Accredited Service Provider to ensure adequate provision of power is available to the development in accordance with industry standards.
- 6. Any proposed driveway access and/or exit (concrete crossovers) must remain at least 1.0 metre away from any electricity infrastructure (power pole) at all times, to prevent accidental damage.
- 7. Essential Energy's records indicate there is an existing low voltage underground powerline and service pit located on the boundary of this property and the adjoining Lot 2 DP1168843. Prior to carrying out any works in this area, a "Dial Before You Dig" enquiry should be undertaken in accordance with the requirements of Part 5E (Protection of Underground Electricity Power Lines) of the Electricity Supply Act 1995 (NSW) to locate this underground powerline. Any proposed tree planting or landscaping in this area must comply with the latest industry guideline currently known as ISSC 20 Guideline for the Management of Activities within Electricity Easements and Close to Infrastructure.
- 8. In addition, Essential Energy's records indicate there is electricity infrastructure located within the property and within close proximity of the property. Any activities within these locations must be undertaken in accordance with ISSC 20 Guideline for the Management of Activities within Electricity Easements and Close to Infrastructure. Approval may be required from Essential Energy should activities within the property encroach on the electricity infrastructure.
- 9. Given there is electricity infrastructure in the area, it is the responsibility of the person/s completing any works around powerlines to understand their safety responsibilities. SafeWork NSW ([www.safework.nsw.gov.au](http://www.safework.nsw.gov.au)) has publications that provide guidance when working close to electricity infrastructure. These include the Code of Practice - Work near Overhead Power Lines and Code of Practice - Work near Underground Assets.